ALICANTO BIOTECH PVT LTD

Directorate of AYUSH Haryana, G.S.R. 716 (E)/Ay/Hry/2022

Product Code 10 13012 22

Behind Hotel Paris ,Naraingarh , Distt. Ambala (Haryana) Manufacturing License No. - 1283-ISM (HR)

Email:alicantobiotech@gmail.com

Signature of Technical Person

Contact - 7888491021, 9417292034

Sr.No.	Particulars						
1.	Name of Product-		Hindi :-		TANTRA MAX CAPSULE		
2.	Type of Formulation :-		******	122.724.40		Capsule	
3.	Category :-		Patent or proprietary or classical		Proprietary		
4.	Use -		Human /veterinary		Human		
5.	System :-		Ayurvedic or Unani			Ayurvedic	
6.	Total composition :-					Each 500mg contains:-	
7. Total 1	Ingredients:-						
Sr.No.	Botanical Name	Common Name	Quantity	Part Used	Form Used	Book Reference&page no.	Properties
7.1	Asphaltum	Shilajit extract	80 MG	Root	Extract	BPN, 600	Rasayana , Balya
7.2	Mucuna pruriens	Kaunch beej	70 MG	SEED	EXTRACT	BPN 342	Vajikaran
7.3	Tribulus terrestris	Gokhru	70 MG	Whole plant	Extract	P1,VOL6,95	Svarya, Sothahara, Sulaghna
7.4	Withania somnifera	Ashwagandha extract	60 MG	Root	Extract	BPN,379.380	Balya , Ojavardhaka
7.5	Chlorophytum Borivilianum	Seed musli extract	50 MG	Rhizome	EXTRACT	BPN,376,	Balya ,vrushya
7.6	Trigonellafoenum-graecum	Fenugreek seed	60 MG	SEED	EXTRACT	P1,VOL 2,126,127	Kaphahara, Rucya, Vatahara
7.7	Anacyclus pyrethrum	Akarkara extract	40 MG	Roots	Extract	P1,VOL2,13	Vatahara, Pittahara, Kaphahara
7.8		Makardwaz	40 MG	Classical Medicine	Powder	Bhaisajyaratnavali 1133	
7.9	Myristicafragrans	Jaiphal	29.5 MG	seeds	Extract	API,P1,V1,70	Atisara,svasa
7.10	Crocus sativus	Kesar	0.5 MG	flowers	Extract	API, P1, V4 , 59	Varnya , jantuhara, Sidhma
7.19	Excipients		Q.S				
8.	Method of preparation:- Laboratory approved ingredic homogenized for obtaining u	redients are weighed by calibrated weighing balance as per composition of resultant formulation. All ingredients are mixed properly & ng uniform material. After ensuring the material is uniformed, it is conducted for encapsulation.					
9. 10.	Indication Dosage	May be help in Vajikaran, Shukragatavata etc.					
11.	27/10/2	As directed by the physician.					
	Anupan	Lukewarm water.					
12.	Shelf Life Adverse Effect	3 Years from date of manufacturing					
13.	Quality Control Reference	Nil. BhavprakashNighantu, Rasamruta, API,Bhaisajyaratnavali,RTS					

Sector-3, Panchkula

Signature of Director